
वस्त्रादि — स्वचालित और अंडरपिक करघों
के लिए पिकिंग स्टिक्स — विशिष्टि
(दूसरा पुनरीक्षण)

**Textiles — Picking Sticks for
Automatic and Underpick
Looms — Specification**
(Second Revision)

ICS 59.120.30

© BIS 2023



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002
www.bis.gov.in www.standardsbis.in

FOREWORD

This Indian Standard (Second Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Textile Machinery and Accessories Sectional Committee had been approved by the Textiles Division Council.

Picking stick is the part of a loom that transmits motion to the shuttle by means of the picker. It is a wooden stick used to carry the picker.

This standard was originally published in 1968. This standard was revised in 1976. The standard has been revised to incorporate the following changes:

- a) All amendments have been incorporated;
- b) References to Indian Standards have been updated;
- c) Sampling clause has been modified; and
- d) Marking clause has been modified.

Since the dimensions and shape of picking sticks vary to a great extent depending upon the make of loom, this standard does not prescribe the dimensional requirements of picking sticks and, as such, permissible tolerances on various dimensions have been prescribed in this standard.

The composition of the Committee responsible for the formulation of this standard is given in Annex B.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Indian Standard***TEXTILES — PICKING STICKS FOR AUTOMATIC AND
UNDERPICK LOOMS — SPECIFICATION***(Second Revision)***1 SCOPE**

This standard prescribes requirements of picking sticks for use on automatic cotton looms and underpick cotton, woollen and worsted looms.

2 REFERENCES

The standards given below contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards:

<i>IS No.</i>	<i>Title</i>
IS 3513 (Part 3) : 1989	Resin treated compressed wood laminates (compregs) — Specification: Part 3 For general purposes (<i>first revision</i>)

3 MANUFACTURE**3.1 Material**

3.1.1 The picking sticks shall be manufactured from compreg conforming to Type V of IS 3513 (Part 3).

3.1.2 The species of timber given in Annex A to the standard shall be used for the manufacture of veneers required for making compreg.

3.2 Finish

The picking sticks should have a smooth finish and may be given a coat of varnish if prescribed by the buyer.

3.3 Freedom from Defects

The picking sticks shall be free from checks, splits, blisters, overlaps, gaps and open joints or any other defect which is likely to affect the life or usefulness of the picking sticks.

4 REQUIREMENTS**4.1 Dimensions**

The dimensions and shape of picking sticks shall be

as prescribed by the buyer depending upon the make of the loom. Two typical sketches of picking sticks are shown in Fig. 1. The tolerances on various dimensions shall, however, be as follows:

<i>Sl No.</i>	<i>Dimensions</i>	<i>Tolerance mm</i>
(1)	(2)	(3)
i)	Overall length	± 3
ii)	Thickness and width	± 0.5
iii)	Height of the first hole from the bottom end	± 1
iv)	Diameter of holes	$+ 0$ $- 0.5$
v)	Distance between pair of holes	± 1

4.1.1 Warping

Warping to an extent of 1 mm per metre shall be permitted.

4.2 Mass

The mass of a picking stick shall be as agreed to between the buyer and the seller subject to a tolerance of ± 3 percent.

5 SAMPLING

5.1 All the picking sticks of one type and size and manufactured from the same raw material delivered to a buyer against a despatch note shall constitute a lot.

5.2 The conformity of the lot to the requirements of this standard shall be determined on the basis of the tests carried out on the samples selected from it.

5.3 Unless otherwise agreed to between the buyer and the seller, the number of picking sticks to be selected at random from a lot shall be in accordance with col (2), col (3) and col (5) of Table 1.

Table 1 Sample Size and Criterion for Conformity*(Clause 5.3)*

Sl No.	Lot Size	No. of Picking Sticks to be Selected for Testing Dimensions	Permissible No. of Non-conforming Picking Sticks Amongst those Selected in Col (3)	No. of Picking Sticks to be Selected for Determining Mass from Amongst those Selected in Col (3)
(1)	(2)	(3)	(4)	(5)
i)	Up to 150	8	1	3
ii)	151 to 280	13	1	3
iii)	281 to 500	20	2	3
iv)	501 and above	32	3	5

5.4 The number of picking sticks to be tested and criterion for conformity for each of the characteristics shall be as follows:

Sl No.	Characteristic	No. of Picking Sticks to be Tested	Criterion for Conformity
(1)	(2)	(3)	(4)
i)	Dimensions	According to col (3) of Table 1	Non-conforming sticks not to exceed the corresponding number given in col (4) of Table 1
ii)	Mass and all other requirements	According to col (5) of Table 1	Each observed value satisfies the requirements (<i>see 4.2</i>)

6 MARKING

6.1 Each picking stick shall be marked at a suitable place with the manufacturer's name, initials or trade-mark, if any.

6.1.1 Each picking stick shall also be legibly marked with the following information:

- Indication of the source of manufacture;
- Gross and net mass;
- Lot/batch number;
- Country of origin; and
- Any other information required by the law in force and/or by the buyer.

6.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity

assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.

7 PACKING

7.1 A suitable number of picking sticks of one type shall be made into a bundle by tying at three places with twine. The number of picking sticks in a bundle shall be as agreed to between the buyer and the seller. Each bundle shall be packed in hessian.

7.2 Each bundle shall be marked with the following:

- Manufacturer's name, initials or trade-mark, if any;
- Number of picking sticks in the bundle; and
- Type of loom on which the picking sticks are to be used.




FIG. 1 TYPICAL PICKING STICKS

ANNEX A

(Clause 3.1.2)

SPECIES OF TIMBER TO BE USED FOR MANUFACTURE OF VENEERS REQUIRED FOR MAKING COMPREG

<i>Trade Name</i>	<i>Botanical Name</i>	<i>Trade Name</i>	<i>Botanical Name</i>
Aini	<i>Artocarpus hirsutus</i>	Laurel	<i>Terminalia alata</i>
Amari	<i>Amoora</i> spp.	Maple	<i>Acer</i> spp.
Arjun	<i>Terminalia arjuna</i>	Machilus	<i>Machilus</i> spp.
Bahera	<i>Terminalia bellirica</i>	Makai	<i>Shorea assamica</i>
Carallia	<i>Carallia brachiate</i>	Mango	<i>Mangifera</i> spp.
Chaplash	<i>Artocarpus chaplasha</i>	Mullilam	<i>Zanthoxylum rhetsa</i>
Chickrassy	<i>Chukrasia velutina</i>	Mundani	<i>Acrocarpus fraxinifolius</i>
Chilauni	<i>Schima wallichii</i>	Narikel	<i>Pterygota alata</i>
Debdaru	<i>Polyalthia</i> spp.	Nedunari	<i>Mansonia</i> spp.
Dilienia	<i>Dillenia</i> spp.	Pali	<i>Palaquium ellipticum</i>
Gondsoroi	<i>Cinnaniomum cecicodaphne</i>	Piney	<i>Kingiodendron pinnatum</i>
Gurjan	<i>Dipterocarpus</i> spp.	Pitraj	<i>Aphanamixis polystachya</i>
Hathipaila	<i>Pterospermum acerifolium</i>	Poon	<i>Calophyllum</i> spp.
Hollock	<i>Terminalia myriocarpa</i>	Pussur	<i>Xylocarpus</i> spp.
Hollong	<i>Dipterocarpus macrocarpus</i>	Pymma	<i>Lagerstroemia hypoleuca</i>
Jaman	<i>Syzygium</i> spp.	Red Bombwe	<i>Planchonia valida</i>
Jutili	<i>Altingia excelsa</i>	Salai	<i>Boswellia serrata</i>
Kanju	<i>Holoptelea integrifolia</i>	Satinwood	<i>Chloroxylon swietenia</i>
Karani	<i>Cullenia rosayroana</i>	Silver Oak	<i>Grevillea robusta</i>
Kathal	<i>Artocarpus heterophyllus</i>	Toon	<i>Toona cilata</i>
Kendu	<i>Diospyros</i> spp.	Uriam	<i>Bischofia javanica</i>
Kindal	<i>Terminalia paniculata</i>	Vellapine	<i>Vateria indica</i>
Kokko	<i>Albizia lebbek</i>	White Bombwe	<i>Terminalia procera</i>
		White Ghuglam	<i>Terminalia bialata</i> (Sapwood)'

ANNEX B*(Foreword)***COMMITTEE COMPOSITION**

Textile Machinery and Accessories Sectional Committee, TXD 14

<i>Organization</i>	<i>Representative(s)</i>
Central Manufacturing Technology Institute, Bengaluru	DR NAGAHANUMAIAN (Chairperson)
Amritlakshmi Machine Works, Mumbai	SHRI N. K. BRAHMACHARI SHRI N. K. RAUT (<i>Alternate</i>)
ATE Enterprises Private Limited, New Delhi	SHRI ABHIJIT KULKARNI SHRI ANIL KUMAR SHARMA (<i>Alternate</i>)
Bajaj Industries Private Limited, Kolkata	REPRESENTATIVE
Bhowmick Calculator, Kolkata	SHRI GOUTAM BHOWMICK SHRI VIVEKANANDA BHOWMICK (<i>Alternate</i>)
Central Manufacturing Technology Institute, Bengaluru	SHRI B. R. MOHANRAJ SHRI K. SARAVANAN (<i>Alternate</i>)
Confederation of Indian Textile Industry, New Delhi	SHRI AJAY KUMAR
Dashmesh Jacquard and Powerloom Private Limited, Panipat	SHRI RAJMEET DHAMMU (<i>Representative</i>)
HLL Lifecare Limited, Noida	SHRI AKHIL G. S. SHRI RATNAKAR GUPTA (<i>Alternate</i>)
ICAR-Central Institute for Research on Cotton Technology, Mumbai	DR N. SHANMUGAM DR T. SENTHILKUMAR (<i>Alternate</i>)
India ITME Society, Mumbai	SHRI PRASHANT MANGUKIA SHRIMATI SEEMA SRIVASTAVA (<i>Alternate</i>)
Indian Jute Industries Research Association, Kolkata	SHRIMATI SAUMITA CHOUDHURY SHRI PARTHA SANYAL (<i>Alternate</i>)
Indian Jute Mills Association, Kolkata	REPRESENTATIVE
Indian Textile Accessories and Machinery Manufacturers Association, Mumbai	SHRI N. D. MHATRE SHRI CHANDRESH SHAH (<i>Alternate</i>)
Inspiron Engineering Private Limited, Ahmedabad	SHRI SANJAY KOWARKAR SHRI ANKUR SONI (<i>Alternate</i>)
JCB Industries, Guwahati	SHRI DHRUBA SARMA SHRI ABHIJIT BHUYAN (<i>Alternate</i>)
Kusters Calico Machinery Limited, Karjan	SHRI DEVANG PARIKH SHRI SHUBHASIS SUR (<i>Alternate</i>)
Lakshmi Machine Works Limited, Coimbatore	MS KALPANA A. MS DIVYA V. (<i>Alternate</i>)
Laxmi Shuttleless Looms Private Limited, Ahmedabad	SHRI KETAN SANGHVI
Ludlow Jute Limited, Kolkata	REPRESENTATIVE

<i>Organization</i>	<i>Representative(s)</i>
Ministry of Heavy Industries and Public Enterprises, Department of Heavy Industry, New Delhi	SHRI SANJEEV GUPTA SHRI S. SUNDAR (<i>Alternate</i>)
National Safety Council, Navi Mumbai	SHRI LALIT R. GABHANE SHRI R. R. DEOGHARE (<i>Alternate</i>)
Office of the Textile Commissioner, Mumbai	SHRI C. R. KALESAN SHRI JAGRAM MEENA (<i>Alternate</i>)
Peass Industrial Engineers Private Limited, Navari	SHRI RAVI S. RAO SHRI JIGNESH B. PATEL (<i>Alternate</i>)
Technocraft Industries India Limited, Mumbai	SHRI RAVINDER KUMAR SHRI DURADUNDESHWAR HIREMATH (<i>Alternate</i>)
Textile Machinery Manufacturers Association, Mumbai	SHRI M. SHANKAR SHRI PRASHANT MANGUKIA (<i>Alternate</i>)
The Bombay Textile Research Association, Mumbai	SHRI VIJAY GAWDE SHRI R. A. SHAIKH (<i>Alternate</i>)
The Synthetic and Art Silk Mills Research Association, Mumbai	DR MANISHA MATHUR SHRI SANJAY SAINI (<i>Alternate</i>)
The Textile Association (India), Mumbai	SHRI J. B. SOMA SHRI ASHOK JUNEJA (<i>Alternate</i>)
Truetzschler India Private Limited, Ahmedabad	SHRI PRAVIN KANDGE SHRI SHILADITYA JOSHI (<i>Alternate</i>)
United Nations International Children's Emergency Fund, New Delhi	DR PRATIBHA SINGH SHRI YUSUF KABIR (<i>Alternate</i>)
Veermata Jijabai Technological Institute, Mumbai	DR SURANJANA GANGOPADHYAY SHRI S. P. BORKAR (<i>Alternate</i>)
BIS Directorate General	SHRI J. K. GUPTA, SCIENTIST 'E'/DIRECTOR AND HEAD (TEXTILES) [REPRESENTING DIRECTOR GENERAL (<i>Ex-officio</i>)]

Member Secretary
SHRI SWAPNIL
SCIENTIST 'B'/ASSISTANT DIRECTOR
(TEXTILES), BIS

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website- www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: TXD 14 (22500).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

	Telephones
Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	{ 2323 7617
Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	{ 2367 0012 2320 9474
Northern : Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	{ 2254 1442 2254 1216
Western : Plot No. E-9, Road No.-8, MIDC, Andheri (East), Mumbai 400093	{ 2821 8093

Branches : AHMEDABAD. BENGALURU. BHOPAL. BHUBANESHWAR. CHANDIGARH. CHENNAI. COIMBATORE. DEHRADUN. DELHI. FARIDABAD. GHAZIABAD. GUWAHATI. HIMACHAL PRADESH. HUBLI. HYDERABAD. JAIPUR. JAMMU & KASHMIR. JAMSHEDPUR. KOCHI. KOLKATA. LUCKNOW. MADURAI. MUMBAI. NAGPUR. NOIDA. PANIPAT. PATNA. PUNE. RAIPUR. RAJKOT. SURAT. VISAKHAPATNAM.